

Structure Factor Check

3L70

Title: CYTOCHROME BC1 COMPLEX FROM CHICKEN WITH TRIFLOXYSTROBIN
 BOUND
 Date: 27-DEC-09
 PDB code: 3L70

Crystal

Cell parameters:

a: 169.61 A b: 181.99 A c: 240.54 A
 α : 90.00 β : 90.00 γ : 90.00

Space group: P 21 21 21

Structure Factors

Input

Nominal resolution range: 58.3 – 2.68 A
 Reflections in file: 204662
 Unique reflections above 0: 204662
 above 1 σ : 197005
 above 3 σ : 125837

SFCHECK

Nominal resolution range: 58.3 – 2.75 A
\05max. from input data, min. from author\05
 Used reflections: 191524
 Reflections out of resolution: 13138
 Completeness: 99.3 %
 $R_{\text{stand}}(F) = \langle \sigma(F) \rangle / \langle F \rangle$: 0.063
 Anisotropic distribution of Structure Factors
 ratio of eigen values: 1.0000 0.5090 0.5016
 B_overall (by Patterson): 45.A²
 Optical resolution: 2.05 A
 Expected opt. resol. for complete data set: 2.05 A
 Estimated minimal error: 0.069 A

Model

32653 atoms (19 water molecules)

Number of chains: 51
 Volume not occupied by model: 62.0 %
 (for atomic model): 65.6 A²
 $\sigma(B)$: 20.61 A²
 Matthews coefficient: 4.06
 Corresponding solvent % : 69.47

Model vs. Structure Factors

R-factor for all reflections: 0.310
 Correlation factor: 0.861
 R-factor: 0.309
 for $F > 2.0\sigma$
 nom. resolution range: 24.99 – 2.75A
 reflections used: 184828
 Rfree: 0.332
 Nfree: 9231
 R-factor without free-refl.: 0.307
 Non free-reflections: 175597
 <u> (error in coords by Luzzati plot): 0.491 A
 Estimated maximal error: 0.300 A
 DPI: 0.319 A

Refinement





Program: CNS 1.1
 Nominal resolution range: 25.0 – 2.75 A
 Reported nominal resolution: 2.00 A
 Reported R-factor: 0.267
 Number of reflections used: 191247
 Reported Rfree: 0.30
 Sigma cut-off: N.A.

Scaling


Scale: 0.474
 Bdiff: -8.04
 Anisothermal Scaling (Beta):
 9.6531 -2.3386 -2.0465 0.0000 0.0000 0.0000
 Solvent correction – Ks,Bs: 0.696 250.083

Structure Factor Check

3L70




Stereographic projection of the averaged radial completeness



	θ	ϕ
h	90.00	0.00
k	90.00	90.00
l	0.00	0.00



polar coordinates of the crystallographical axes



Structure Factor Check

3L70



Local estimation



Structure Factor Check

3L70



Local estimation (2)



Structure Factor Check

3L70



Local estimation (4)



Structure Factor Check

3L70



Local estimation (5)



Structure Factor Check

3L70



Local estimation (6)



Structure Factor Check

3L70



Local estimation (7)



Structure Factor Check

3L70



Local estimation (8)



Structure Factor Check

3L70



Local estimation (9)



Structure Factor Check

3L70



Local estimation (10)



Structure Factor Check

3L70



Local estimation (12)



Structure Factor Check

3L70



Local estimation (13)



Structure Factor Check

3L70



Local estimation (14)



Structure Factor Check

3L70



Local estimation (15)



Structure Factor Check

3L70



Local estimation (16)



Structure Factor Check

3L70



Local estimation (17)



Structure Factor Check

3L70



Local estimation (18)



Structure Factor Check

3L70



Local estimation (19)



Structure Factor Check

3L70



Local estimation (20)



Structure Factor Check

3L70



Local estimation (21)



Structure Factor Check

3L70



Local estimation (22)



Structure Factor Check

3L70



Local estimation (23)



Structure Factor Check

3L70



Local estimation (24)



Structure Factor Check

3L70



Local estimation (25)



Structure Factor Check

3L70



Local estimation (26)



Structure Factor Check

3L70

Local estimation (27)



Structure Factor Check

3L70

Local estimation (28)

